



IECEX Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION
IEC Certification Scheme for Explosive Atmospheres
 for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEX KEM 10.0076X** issue No.: **0** Certificate history:

Status: **Draft**

Date of Issue: **2010-09-07** Page 1 of 3

Applicant: **Friedrich Schwingtechnik GmbH**
 Am Höfgen 24
 42761 Haan
 Germany

Electrical Apparatus: **Three-phases asynchronous vibration motors**
 Optional accessory:

Type of Protection: **Ex e and tD**

Marking: **Ex e II T3 or T4**
Ex tD A21 T120°C IP66

Approved for issue on behalf of the IECEx Certification Body: **C. G. van Es**

Position: **Certification Manager**

Signature: _____
 (for printed version)

Date: _____

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting the Official IECEx Website.

Certificate issued by:

KEMA Quality B.V.
 Utrechtseweg 310
 6812 AR Arnhem
 The Netherlands

KEMA Quality
 ————— a DEKRA company



IECEx Certificate of Conformity

Certificate No.: IECEx KEM 10.0076X

Date of Issue: 2010-09-07

Issue No.: 0

Page 2 of 3

Manufacturer: Friedrich Schwingtechnik GmbH
Am Höfgen 24
42761 Haan
Germany

Manufacturing location(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex product covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identity documents, was found to comply with the following standards:

IEC 60079-0 : 2004 Edition: 4.0	Electrical apparatus for explosive gas atmospheres - Part 0: General requirements
IEC 60079-7 : 2006-07 Edition: 4	Explosive atmospheres - Part 7: Equipment protection by increased safety "e"
IEC 61241-0 : 2004 Edition: 1	Electrical apparatus for use in the presence of combustible dust - Part 0: General requirements
IEC 61241-1 : 2004 Edition: 1	Electrical apparatus for use in the presence of combustible dust - Part 1: Protection by enclosures "ID"

This Certificate does not indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:


A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

Test Report:

NL/KEM/ExTR10.0105/00

Quality Assessment Report:

NL/KEM/QAR09.0035/00



IECEx Certificate of Conformity

Certificate No.: IECEx KEM 10.0076X
 Date of Issue: 2010-09-07 Issue No.: 0
 Page 3 of 3

Schedule

EQUIPMENT:

Equipment and systems covered by this certificate are as follows:

Three-phases asynchronous vibration motors series .YE..... and FE..... Ambient temperature range -20 °C ... +4 °C.

The maximum surface temperature of the enclosure T 120 °C is based on a maximum ambient temperature of 40 °C.

Electrical data

The electrical data mentioned in the tables in Annex A are suitable for motors in type of explosion protection increased safety "e" and for the motors for use in the presence of combustible dust. Only the electrical data I_A/I_N and tE -time apply for the increased safety "e" motors.

CONDITIONS OF CERTIFICATION: YES as shown below:

In case that the motor is provided with a permanently connected unterminated cable the certificate number on the motor marking shall be followed by the symbol "X". The free end of the permanently connected, unterminated cable is to be connected in an appropriate way, e.g. in a suitable Ex e or Ex d junction box