

FM Approvals
1151 Boston Providence Turnpike
P.O. Box 9102 Norwood, MA 02062 USA
T: **781 762 4300** F: 781-762-9375 www.fmapprovals.com

# **CERTIFICATE OF COMPLIANCE**

# HAZARDOUS (CLASSIFIED) LOCATION ELECTRICAL EQUIPMENT

This certificate is issued for the following equipment:

#### aDPbc. Vimarc Shaker Motors.

 $XP / I / 1 / CD / T^* Ta = 50$ °C; DIP / II / 1 / EFG / T\* Ta = 50°C; Type 4

- a\*= Series designation: A, B, C, E, F and G (when 'T' Code = T4); E, F and G (when 'T' Code = T3B); A, B, C and D (not for Group G when 'T' Code = T3).
- b = Size designation: maximum 45 (when a = A); maximum 201 (when a = B); maximum 300 (when a = C); maximum 600 (when a = D); maximum 700 (when a = E); maximum 1000 (when a = F); maximum 1500 (when a = G).
- c = No. of poles: 2, 4 and 6 (when a = A); 2, 4, 6 and 8 (when a = B); 4, 6 and 8 (when a = C, D, E or G); 6 and 8 (when a = F).

### **Equipment Ratings:**

Explosion proof for Class I, Division 1, Groups C and D; Dust-ignition proof for Class II, Division 1, Groups E, F and G indoors and outdoors Type 4 hazardous (Classified) locations.

## FM Approved for:

Friedrich Schwingtechnik GmbH Vimarc Inc. Haan, Germany Houston, Texas



This certifies that the equipment described has been found to comply with the following Approval Standards and other documents:

| Class 3600    | 2011 |
|---------------|------|
| Class 3615    | 2006 |
| Class 3820    | 1979 |
| ANSI/NEMA 250 | 2003 |

Original Project ID: 0M5A8.AE Approval Granted: May 22, 1990

Subsequent Revision Reports / Date Approval Amended

| Report Number | Date             | Report Number | Date |
|---------------|------------------|---------------|------|
| 3003052       | March 17, 1999   |               |      |
| 3029334       | June 12, 2007    |               |      |
| 100106        | January 22, 2010 |               |      |
| 3047029       | April 23, 2013   |               |      |

FM Approvals LLC

Date